



X5 LED LUMINARIES



ZHONGSHAN XUSHENG LIGHTING CO.,LTD
TAIWAN GUANGXUAN TECHNOLOGY CO.LTD

Address: No.20,Kanglong 5th Road,Xinmao Industrial Park,Henlang Town,Zhongshan city,Guangdong P.R.China
Hotline: 0760-87552793
E-mail: admin@xushenglighting.com
Web: www.xushenglighting.com

2020

Professional commercial lighting manufacturer!



XUSHENG LIGHTING

Our core is design and manufacture.

ABOUT US

Xu Sheng is a professional factory engaged in commercial lighting research and development, production and sales as one of professional lighting business, since the plant, the company adhering to the "people-oriented, scientific management, innovation and sustainable development" business purposes. The company has maintained rapid growth, through the independent research and development system, to carry out continuous innovation action, to provide high quality, energy saving, beautiful artificial lighting environment for the masses, has a good reputation in the commercial lighting industry.



Xu Sheng is also the Joint Venture of Taiwan Comunion Technology co. , Linztek offer LED professional design and technical know-how to let our LED products can match all our customers demand.

STRATEGIC PARTNERS




CERTIFICATE




CONTENTS


08




08




10




10




12




12




12




12




16




16




16




16




18




18




20




20




20




22




22




24




24




26




26



26



33



Track light Series

06-33

39



39



39



40



41



42



42



43



43



44



45



46



Module light Series

34-47

48



50



53



54



56



58



Down light Series

48-59

61



62



63



64



65



66



66



68



68



70



70



70



70



72




Mini light Series

60-65


Adjustable light Series

66-73


75




75




75




75




76



77




78




Magnetic light Series

74-77


81



82




82




Linear light Series

80-83

84



87




Grille light Series

84-87





TRACK SPOT LINGT SERIES

LIGHTING ART




DC LED
TRACK-SPOT LIGHT
SERIES




GD02512


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 930lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.47	1.5m 3054lx
0.70	2.25m 1357lx
1.09	3.5m 561lx
1.24	4.0m 429lx
1.55	5.0m 275lx




Diameter(m)	Height Emax
0.74	1.5m 1284lx
1.11	2.25m 570lx
1.73	3.5m 236lx
1.98	4.0m 181lx
2.48	5.0m 116lx




GD02612


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 930lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.92	1.5m 1075lx
1.38	2.25m 478lx
2.15	3.5m 198lx
2.46	4.0m 151lx
3.07	5.0m 97lx




Diameter(m)	Height Emax
1.23	1.5m 590lx
1.85	2.25m 262lx
2.88	3.5m 108lx
3.29	4.0m 83lx
4.12	5.0m 53lx




GD02520


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1587lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.46	1.5m 5040lx
0.70	2.25m 2240lx
1.08	3.5m 926lx
1.24	4.0m 709lx
1.55	5.0m 454lx




Diameter(m)	Height Emax
0.74	1.5m 1284lx
1.11	2.25m 570lx
1.73	3.5m 236lx
1.98	4.0m 181lx
2.48	5.0m 116lx




GD02620


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1587lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.94	1.5m 1830lx
1.41	2.25m 813lx
2.20	3.5m 336lx
2.51	4.0m 257lx
3.14	5.0m 164lx




Diameter(m)	Height Emax
1.57	1.5m 848lx
2.35	2.25m 377lx
3.66	3.5m 156lx
4.18	4.0m 119lx
5.23	5.0m 76lx




GD02530


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2372lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.42	1.5m 7875lx
0.64	2.25m 3500lx
0.99	3.5m 1446lx
1.13	4.0m 1107lx
1.41	5.0m 709lx




Diameter(m)	Height Emax
0.69	1.5m 3724lx
1.03	2.25m 1655lx
1.60	3.5m 684lx
1.83	4.0m 524lx
2.28	5.0m 335lx




GD02630

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2372lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.95	1.5m 2750lx
1.43	2.25m 1222lx
2.22	3.5m 505lx
2.54	4.0m 387lx
3.17	5.0m 248lx




Diameter(m)	Height Emax
1.29	1.5m 1417lx
1.94	2.25m 630lx
3.02	3.5m 260lx
3.45	4.0m 199lx
4.32	5.0m 128lx

DC LED
RECESSED SPOT LIGHT
SERIES




SD04307


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




SD04307L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




SD04312


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




SD04310L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 30PCS





Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx

DC LED
RECESSED SPOT LIGHT
SERIES




SD03607


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




SD03707


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




SD03612


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




SD03712


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx




SD03607L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




SD03707L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




SD03610L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




SD03710L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx






Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx

DC LED
RECESSED SPOT LIGHT
SERIES






SD03807

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS






SD03807-1

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS






SD03812

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS






SD03812-1

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS






SD03807L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS






SD03807L-1

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS





SD03810L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 50PCS





SD03810L-1

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 50PCS




DC LED
RECESSED SPOT LIGHT
SERIES




SD03807-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




SD03807-3


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1245lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*7W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




SD03812-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1504lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




SD03812-3


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2256lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*12W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx




SD03807L-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




SD03807L-3


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1254lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*7W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




SD03810L-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1328lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*10W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




SD03810L-3

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1992lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*10W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx

DC LED
TRACK-SPOT LIGHT
SERIES




GD02007


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




GD02007L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 40PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




GD02012


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




GD02010L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 40PCS




Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx





Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx





DC LED
SURFACE CEILING
SPOT LIGHT SERIES




XD02007
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS





XD02007A
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




XD02007AL
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 40PCS




XD02012
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



XD02010AL
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 40PCS






DC LED
SURFACE CEILING
SPOT LIGHT SERIES






BD00107

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 20PCS






BD00207

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS






BD00112

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 20PCS






BD00212

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1504lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 20PCS






BD00107L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 20PCS






BD00207L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS





BD00110L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 20PCS




BD00210L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1328lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*10W
Qty/Ctn: 20PCS




DC LED
SURFACE CEILING
SPOT LIGHT SERIES




BD00307


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




BD00312


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1504lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx



Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx




BD00307L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




BD00310L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1328lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*10W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx



Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx

DC LED
PENDANT LIGHT
SERIES




XD01407


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.35	1.5m 1603lx
0.52	2.25m 712lx
0.81	3.5m 294lx
0.92	4.0m 225lx
1.15	5.0m 144lx




Diameter(m)	Height Emax
0.57	1.5m 855lx
0.85	2.25m 380lx
1.33	3.5m 157lx
1.52	4.0m 120lx
1.90	5.0m 77lx




DX01407


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.82	1.5m 518lx
1.23	2.25m 230lx
1.91	3.5m 95lx
2.18	4.0m 73lx
2.72	5.0m 47lx




Diameter(m)	Height Emax
1.28	1.5m 297lx
1.92	2.25m 132lx
2.99	3.5m 55lx
3.42	4.0m 42lx
4.27	5.0m 27lx




DX01407L

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS




XD01412


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




DX01412


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx



Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx



DX01410L


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 30PCS

DC LED
PENDANT LIGHT
SERIES




XD01512


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.44	1.5m 1643lx
0.66	2.25m 730lx
1.03	3.5m 302lx
1.17	4.0m 231lx
1.47	5.0m 148lx




Diameter(m)	Height Emax
0.63	1.5m 1125lx
0.95	2.25m 500lx
1.47	3.5m 207lx
1.68	4.0m 158lx
2.10	5.0m 101lx




DX01512

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 752lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.86	1.5m 734lx
1.29	2.25m 326lx
2.01	3.5m 135lx
2.30	4.0m 103lx
2.87	5.0m 66lx




Diameter(m)	Height Emax
1.29	1.5m 475lx
1.94	2.25m 211lx
3.02	3.5m 87lx
3.45	4.0m 67lx
4.31	5.0m 43lx




XD01520


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1587lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.46	1.5m 5040lx
0.70	2.25m 2240lx
1.08	3.5m 926lx
1.24	4.0m 709lx
1.55	5.0m 454lx




Diameter(m)	Height Emax
0.74	1.5m 1284lx
1.11	2.25m 570lx
1.73	3.5m 236lx
1.98	4.0m 181lx
2.48	5.0m 116lx




DX01520

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1587lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.94	1.5m 1830lx
1.41	2.25m 813lx
2.20	3.5m 336lx
2.51	4.0m 257lx
3.14	5.0m 164lx




Diameter(m)	Height Emax
1.57	1.5m 848lx
2.35	2.25m 377lx
3.66	3.5m 156lx
4.18	4.0m 119lx
5.23	5.0m 76lx




XD01530


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2372lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.42	1.5m 7875lx
0.64	2.25m 3500lx
0.99	3.5m 1446lx
1.13	4.0m 1107lx
1.41	5.0m 709lx




Diameter(m)	Height Emax
0.69	1.5m 3724lx
1.03	2.25m 1655lx
1.60	3.5m 684lx
1.83	4.0m 524lx
2.28	5.0m 335lx




DX01530

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2372lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.95	1.5m 2750lx
1.43	2.25m 1222lx
2.22	3.5m 505lx
2.54	4.0m 387lx
3.17	5.0m 248lx




Diameter(m)	Height Emax
1.29	1.5m 1417lx
1.94	2.25m 630lx
3.02	3.5m 260lx
3.45	4.0m 199lx
4.32	5.0m 128lx

FRAMES FOR
GU10LED/MR16LED
SERIES

FRAMES FOR
GU10LED/MR16LED
SERIES


SD036G/SD036M

Light Source:GU10/MR16
Qty/Ctn: 50PCS




SD036LG/SD036LM

Light Source:GU10/MR16
Qty/Ctn: 50PCS




SD036BG

Light Source:GU10/MR16
Qty/Ctn: 50PCS



SD038-2G/SD038-2M

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD038-2LG/SD038-2LM

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD038-2BG

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD037G/SD037M

Light Source:GU10/MR16
Qty/Ctn: 30PCS




SD037LG/SD037LM

Light Source:GU10/MR16
Qty/Ctn: 30PCS




SD037BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




SD038-3G/SD038-3M

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD038-3LG/SD038-3LM

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD038-3BG

Light Source:GU10/MR16
Qty/Ctn: 20PCS




SD038G/SD038M

Light Source:GU10/MR16
Qty/Ctn: 50PCS




SD038LG/SD038LM

Light Source:GU10/MR16
Qty/Ctn: 50PCS




SD038BG

Light Source:GU10/MR16
Qty/Ctn: 50PCS




GD901G/GD901M

Light Source:GU10/MR16
Qty/Ctn: 30PCS




GD901LG/GD901LM

Light Source:GU10/MR16
Qty/Ctn: 30PCS




GD901BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




SD038-1G/SD038-1M

Light Source:GU10/MR16
Qty/Ctn: 30PCS




SD038-1LG/SD038-1LM

Light Source:GU10/MR16
Qty/Ctn: 30PCS



SD038-1BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




BD003G/BD003M

Light Source:GU10/MR16
Qty/Ctn: 20PCS




BD003LG/BD003LM

Light Source:GU10/MR16
Qty/Ctn: 20PCS



BD005BG


Light Source:GU10/MR16
Qty/Ctn: 20PCS



SURFACE FRAMES FOR
GU10LED/MR16LED
SERIES


XD901G/XD901M

Light Source:GU10/MR16
Qty/Ctn: 100PCS




XD901LG/XD901LM

Light Source:GU10/MR16
Qty/Ctn: 100PCS




XD901BG

Light Source:GU10/MR16
Qty/Ctn: 100PCS




XD020AG/XD020AM

Light Source:GU10/MR16
Qty/Ctn: 50PCS




XD020LAG/XD020LAM

Light Source:GU10/MR16
Qty/Ctn: 50PCS




XD020BG

Light Source:GU10/MR16
Qty/Ctn: 50PCS



BD001G/BD001M

Light Source:GU10/MR16
Qty/Ctn: 30PCS




BD001LG/BD001LM

Light Source:GU10/MR16
Qty/Ctn: 30PCS




BD001BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS



BD002G/BD002M

Light Source:GU10/MR16
Qty/Ctn: 20PCS




BD002LG/BD002LM

Light Source:GU10/MR16
Qty/Ctn: 20PCS



BD002BG


Light Source:GU10/MR16
Qty/Ctn: 20PCS



SURFACE FOR
GU10LED/MR16LED
SERIES


DX014G

Light Source:GU10/MR16
Qty/Ctn: 30PCS




XD014G

Light Source:GU10/MR16
Qty/Ctn: 30PCS




XD014BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




DX015G

Light Source:GU10/MR16
Qty/Ctn: 30PCS




XD015G

Light Source:GU10/MR16
Qty/Ctn: 30PCS




DX014LG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




DX014BG

Light Source:GU10/MR16
Qty/Ctn: 30PCS




MODULE SERIES




SD00707GY


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 510lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.34	1.5m 1450lx
0.51	2.25m 644lx
0.79	3.5m 266lx
0.90	4.0m 204lx
1.12	5.0m 131lx




Diameter(m)	Height Emax
0.59	1.5m 742lx
0.88	2.25m 330lx
1.37	3.5m 136lx
1.56	4.0m 104lx
1.95	5.0m 67lx



Diameter(m)	Height Emax
0.90	1.5m 424lx
1.35	2.25m 188lx
2.10	3.5m 78lx
2.40	4.0m 60lx
3.00	5.0m 38lx




Diameter(m)	Height Emax
1.57	1.5m 234lx
2.35	2.25m 104lx
3.66	3.5m 43lx
4.18	4.0m 33lx
5.22	5.0m 21lx




SD00712GY


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1001lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.44	1.5m 1736lx
0.65	2.25m 772lx
1.02	3.5m 319lx
1.16	4.0m 244lx
1.45	5.0m 156lx




Diameter(m)	Height Emax
0.64	1.5m 1176lx
0.96	2.25m 523lx
1.49	3.5m 216lx
1.70	4.0m 165lx
2.13	5.0m 106lx



Diameter(m)	Height Emax
0.96	1.5m 723lx
1.44	2.25m 321lx
2.24	3.5m 133lx
2.56	4.0m 102lx
3.20	5.0m 65lx




Diameter(m)	Height Emax
1.61	1.5m 446lx
2.41	2.25m 198lx
3.75	3.5m 82lx
4.29	4.0m 63lx
5.36	5.0m 40lx




SD00715GY


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1298lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.43	1.5m 1975lx
0.65	2.25m 878lx
1.01	3.5m 363lx
1.15	4.0m 278lx
1.44	5.0m 178lx



Diameter(m)	Height Emax
0.66	1.5m 1273lx
0.99	2.25m 566lx
1.54	3.5m 234lx
1.77	4.0m 179lx
2.21	5.0m 115lx



Diameter(m)	Height Emax
0.97	1.5m 816lx
1.45	2.25m 363lx
2.25	3.5m 150lx
2.57	4.0m 115lx
3.22	5.0m 73lx




Diameter(m)	Height Emax
1.61	1.5m 498lx
2.41	2.25m 221lx
3.75	3.5m 92lx
4.29	4.0m 70lx
5.36	5.0m 45lx

DC LED
MODULE SPOT LIGHT
SERIES








DC LED
MODULE SPOT LIGHT
SERIES







SD00807GY

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 510lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS








SD01007GY

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 502lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS






SD00812GY

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1001lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS




SD01012GY

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 889lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS




TRIMLESS FOR
GU10LED/MR16LED
SERIES





GD043G

Light Source:GU10/MR16
Qty/Ctn: 30PCS




GD043LG

Light Source:GU10/MR16
Qty/Ctn: 30PCS



GD043BG


Light Source:GU10/MR16
Qty/Ctn: 30PCS



White


Black

TRIMLESS FOR
MODULE/GU10LED
/MR16LED SERIES




SD043AM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS




SD043BM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS




SD043CM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS




SD043DM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS



SD043EM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS



SD007KM

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS



Tilt

Rotate


White

Black

Chrome

Pearl Black


FRAMES FOR
GU10LED/MR16LED
MODULE SERIES




FRAMES FOR
GU10LED/MR16LED
MODULE SERIES




FRAMES FOR
GU10LED/MR16LED
MODULE SERIES



FRAMES FOR
GU10LED/MR16LED
MODULE SERIES



FRAMES FOR
GU10LED/MR16LED
MODULE SERIES



GS007-1

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS

GS007-2

Light Source:
Module/GU10/MR16
Qty/Ctn: 50PCS

GS007-3

Light Source:
Module/GU10/MR16
Qty/Ctn: 30PCS



FRAMES FOR
GU10LED/MR16LED
MODULE SERIES



GS009-1

Light Source:
Module/GU10/MR16
Qty/Ctn: 30PCS

GS009-2


Light Source:
Module/GU10/MR16
Qty/Ctn: 18PCS

GS009-3

Light Source:
Module/GU10/MR16
Qty/Ctn: 12PCS




DC LED
SPOT LIGHT
SERIES




SD01607


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 497lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.42	1.5m 1353lx
0.63	2.25m 601lx
0.99	3.5m 249lx
1.13	4.0m 190lx
1.41	5.0m 122lx



Diameter(m)	Height Emax
0.57	1.5m 969lx
0.86	2.25m 431lx
1.34	3.5m 178lx
1.53	4.0m 136lx
1.91	5.0m 87lx




Diameter(m)	Height Emax
0.94	1.5m 509lx
1.41	2.25m 226lx
2.20	3.5m 94lx
2.51	4.0m 72lx
3.14	5.0m 46lx




SD01612


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 845lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.45	1.5m 2033lx
0.67	2.25m 904lx
1.04	3.5m 373lx
1.19	4.0m 286lx
1.49	5.0m 183lx




Diameter(m)	Height Emax
0.67	1.5m 1420lx
1.00	2.25m 631lx
1.55	3.5m 261lx
1.78	4.0m 200lx
2.22	5.0m 128lx



Diameter(m)	Height Emax
0.99	1.5m 914lx
1.49	2.25m 406lx
2.31	3.5m 168lx
2.64	4.0m 129lx
3.30	5.0m 82lx




Diameter(m)	Height Emax
1.60	1.5m 601lx
2.40	2.25m 267lx
3.73	3.5m 110lx
4.26	4.0m 85lx
5.33	5.0m 54lx




SD01615


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1128lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.43	1.5m 2011lx
0.65	2.25m 894lx
1.01	3.5m 369lx
1.16	4.0m 283lx
1.45	5.0m 181lx




Diameter(m)	Height Emax
0.64	1.5m 1417lx
0.96	2.25m 630lx
1.49	3.5m 260lx
1.70	4.0m 199lx
2.13	5.0m 128lx




Diameter(m)	Height Emax
0.97	1.5m 885lx
1.46	2.25m 393lx
2.27	3.5m 163lx
2.60	4.0m 124lx
3.25	5.0m 80lx



Diameter(m)	Height Emax
1.61	1.5m 563lx
2.42	2.25m 250lx
3.76	3.5m 103lx
4.30	4.0m 79lx
5.37	5.0m 51lx





DOWNLIGHT SERIES





TD02307

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 371lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS





TD02312

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 703lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS





TD02320

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1646lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS




TD02330

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 2469lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS




TD02340

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 3280lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 20PCS




DC LED
IP54 DOWNLIGHT
SERIES

IP54




TD02207


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 461lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




16.8°




20.3°



30°




34.3°




TD02212


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 857lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS




17.9°




21°



28.5°




46.8°




TD02220


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1367lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS




13.6°




22.5°



35.2°




54.3°




TD02230


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2132lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS




16.2°




24.7°



37.3°




58.7°




TD02240


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 3134lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 20PCS




18.1°




25.6°




37.9°



58.9°



DC LED
DOWNLIGHT
SERIES



IP20



Triac

DALI

DC LED
DOWNLIGHT
SERIES




IP20





Triac

DALI





TD02410

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 895lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 40PCS





TD02415

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1464lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 30PCS





TD02420

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1859lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS





TD02430

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 2644lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS





TD02510

CCT: 3000K 4000K 6000K
CRI: Ra80
Luminous Flux: 510lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 40PCS





TD02515

CCT: 3000K 4000K 6000K
CRI: Ra80
Luminous Flux: 1001lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 30PCS




TD02520

CCT: 3000K 4000K 6000K
CRI: Ra80
Luminous Flux: 1845lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



TD02530

CCT: 3000K 4000K 6000K
CRI: Ra80
Luminous Flux: 2046lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS



DC LED
DOWNLIGHT
SERIES



IP20

II


⚡

🏠

1-10V



Triac

DALI





TD01407

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 443lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 100PCS





TD01412

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12w
Qty/Ctn: 50PCS





TD01420

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1394lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS




TD01430

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2198lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 12PCS




TD01440



CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 3650lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 12PCS






DC LED
SURFACE CEILING
DOWNLIGHT SERIES





XD00812
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 887lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



XD00820
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1100lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



XD00830
CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1957lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 24PCS



DC LED
DOWNLIGHT
SERIES



IP20




1-10V

Triac

DALI

DC LED
DOWNLIGHT
SERIES




IP20



1-10V



Triac

DALI





TD00106

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 331lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 6W
Qty/Ctn: 50PCS





TD00112

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 823lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS





TD00118

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1256lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 18W
Qty/Ctn: 30PCS





TD00124

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 2082lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 24W
Qty/Ctn: 20PCS





TD00312

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1070lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS





TD00318

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1496lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 18W
Qty/Ctn: 20PCS




TD00412

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1028lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS





TD00418

CCT: 3000K 4000K 6000K
CRI: Ra80 SMD
Luminous Flux: 1501lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 18W
Qty/Ctn: 20PCS



MINI LIGHT SERIES

LIGHTING ART



SD01101



CCT: 3000K

CRI: Ra80 SMD

Luminous Flux: 115lm / 3000K / Ra80

Input: AC220-240V 50/60Hz 1W

Qty/Ctn: 100PCS



SD01301

CCT: 3000K


CRI: Ra80 SMD

Luminous Flux: 115lm / 3000K / Ra80

Input: AC220-240V 50/60Hz 1W

Qty/Ctn: 100PCS


IP54



DC LED
MINI SPOT LIGHT
SERIES





DC LED
MINI SPOT LIGHT
SERIES





SD01801

CCT: 3000K
CRI: Ra80 SMD
Luminous Flux: 115lm / 3000K / Ra80
Input: AC220-240V 50/60Hz 1W
Qty/Ctn: 100PCS




SD01803

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 173lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3W
Qty/Ctn: 100PCS




SD01901

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 91lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 4*1W
Qty/Ctn: 50PCS





DC LED
RECEASED MINI SPOT
LIGHT SERIES




SD02803

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 208lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3W
Qty/Ctn: 100PCS





Diameter(m)	Height Emax
0.17	1.5m 1960lx
0.26	2.25m 871lx
0.40	3.5m 360lx
0.46	4.0m 276lx
0.57	5.0m 176lx



Diameter(m)	Height Emax
0.26	1.5m 1632lx
0.39	2.25m 725lx
0.61	3.5m 300lx
0.69	4.0m 230lx
0.87	5.0m 147lx

SD02803B



CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 208lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3W
Qty/Ctn: 100PCS




Diameter(m)	Height Emax
0.40	1.5m 603lx
0.60	2.25m 268lx
0.93	3.5m 111lx
1.07	4.0m 85lx
1.33	5.0m 54lx

SD02805

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 333lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 5W
Qty/Ctn: 100PCS





Diameter(m)	Height Emax
0.20	1.5m 3720lx
0.29	2.25m 1653lx
0.46	3.5m 683lx
0.52	4.0m 523lx
0.65	5.0m 334lx




Diameter(m)	Height Emax
0.25	1.5m 2029lx
0.38	2.25m 902lx
0.59	3.5m 373lx
0.68	4.0m 285lx
0.85	5.0m 183lx

SD02805B

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 333lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 5W
Qty/Ctn: 100PCS



Diameter(m)	Height Emax
0.47	1.5m 919lx
0.70	2.25m 409lx
1.09	3.5m 169lx
1.24	4.0m 129lx
1.55	5.0m 83lx





Diameter(m)	Height Emax
0.77	1.5m 312lx
1.16	2.25m 139lx
1.80	3.5m 57lx
2.06	4.0m 44lx
2.57	5.0m 28lx

DC LED
TRACK SPOT LIGHT
SERIES




GD02803


CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 208lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.17	1.5m 1960lx
0.26	2.25m 871lx
0.40	3.5m 360lx
0.46	4.0m 276lx
0.57	5.0m 176lx





Diameter(m)	Height Emax
0.26	1.5m 1632lx
0.39	2.25m 725lx
0.61	3.5m 300lx
0.69	4.0m 230lx
0.87	5.0m 147lx




Diameter(m)	Height Emax
0.40	1.5m 603lx
0.60	2.25m 268lx
0.93	3.5m 111lx
1.07	4.0m 85lx
1.33	5.0m 54lx

GD02805


CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 333lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 5W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.20	1.5m 3720lx
0.29	2.25m 1653lx
0.46	3.5m 683lx
0.52	4.0m 523lx
0.65	5.0m 334lx



Diameter(m)	Height Emax
0.25	1.5m 2029lx
0.38	2.25m 902lx
0.59	3.5m 373lx
0.68	4.0m 285lx
0.85	5.0m 183lx







Diameter(m)	Height Emax
0.47	1.5m 919lx
0.70	2.25m 409lx
1.09	3.5m 169lx
1.24	4.0m 129lx
1.55	5.0m 83lx




Diameter(m)	Height Emax
0.77	1.5m 312lx
1.16	2.25m 139lx
1.80	3.5m 57lx
2.06	4.0m 44lx
2.57	5.0m 28lx

LED ADJUSTABLE LIGHT SERIES




SD03207


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 343lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.47	1.5m 1100lx
0.70	2.25m 489lx
1.09	3.5m 202lx
1.25	4.0m 155lx
1.56	5.0m 99lx




Diameter(m)	Height Emax
0.80	1.5m 664lx
1.19	2.25m 295lx
1.86	3.5m 122lx
2.12	4.0m 93lx
2.65	5.0m 60lx




SD03307

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 343lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




SD03212


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS



Diameter(m)	Height Emax
0.59	1.5m 1852lx
0.89	2.25m 823lx
1.38	3.5m 340lx
1.58	4.0m 261lx
1.98	5.0m 167lx




Diameter(m)	Height Emax
0.76	1.5m 864lx
1.14	2.25m 384lx
1.78	3.5m 159lx
2.03	4.0m 122lx
2.54	5.0m 78lx




SD03312

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS




SD03220


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1113lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.42	1.5m 3737lx
0.864	2.25m 1661lx
0.99	3.5m 686lx
1.13	4.0m 525lx
1.41	5.0m 336lx




Diameter(m)	Height Emax
0.56	1.5m 2590lx
0.85	2.25m 1151lx
1.32	3.5m 476lx
1.50	4.0m 364lx
1.88	5.0m 233lx





SD03320

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1113lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS






Diameter(m)	Height Emax
0.92	1.5m 1410lx
1.39	2.25m 627lx
2.16	3.5m 259lx
2.47	4.0m 198lx
3.08	5.0m 127lx

DC LED
ADJUSTABLE SPOT LIGHT
SERIES




SD02907B

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 343lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7w
Qty/Ctn: 50PCS




SD03007B

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 343lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7w
Qty/Ctn: 50PCS




SD02912B


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS



Diameter(m)	Height Emax
0.59	1.5m 1852lx
0.89	2.25m 823lx
1.38	3.5m 340lx
1.58	4.0m 261lx
1.98	5.0m 167lx




Diameter(m)	Height Emax
0.76	1.5m 864lx
1.14	2.25m 384lx
1.78	3.5m 159lx
2.03	4.0m 122lx
2.54	5.0m 78lx




SD03012B

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 40PCS




SD02920B


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1113lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.42	1.5m 3737lx
0.864	2.25m 1661lx
0.99	3.5m 686lx
1.13	4.0m 525lx
1.41	5.0m 336lx




Diameter(m)	Height Emax
0.56	1.5m 2590lx
0.85	2.25m 1151lx
1.32	3.5m 476lx
1.50	4.0m 364lx
1.88	5.0m 233lx




SD03020B

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1113lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS




Diameter(m)	Height Emax
0.92	1.5m 1410lx
1.39	2.25m 627lx
2.16	3.5m 259lx
2.47	4.0m 198lx
3.08	5.0m 127lx




SD02930B


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1983lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS



Diameter(m)	Height Emax
0.52	1.5m 4765lx
0.78	2.25m 2118lx
1.22	3.5m 875lx
1.39	4.0m 670lx
1.74	5.0m 429lx




Diameter(m)	Height Emax
0.71	1.5m 3589lx
1.06	2.25m 1595lx
1.65	3.5m 659lx
1.88	4.0m 504lx
2.35	5.0m 323lx







SD03030B

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1983lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 20PCS




Diameter(m)	Height Emax
1.00	1.5m 2491lx
1.50	2.25m 1107lx
2.33	3.5m 458lx
2.67	4.0m 350lx
3.33	5.0m 224lx

DC LED
ADJUSTABLE SPOT LIGHT
SERIES




SD029-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.59	1.5m 1852lx
0.89	2.25m 823lx
1.38	3.5m 340lx
1.58	4.0m 261lx
1.98	5.0m 167lx




Diameter(m)	Height Emax
0.76	1.5m 864lx
1.14	2.25m 384lx
1.78	3.5m 159lx
2.03	4.0m 122lx
2.54	5.0m 78lx




SD030-1

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS




SD029-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 10PCS



Diameter(m)	Height Emax
0.59	1.5m 1852lx
0.89	2.25m 823lx
1.38	3.5m 340lx
1.58	4.0m 261lx
1.98	5.0m 167lx




Diameter(m)	Height Emax
0.76	1.5m 864lx
1.14	2.25m 384lx
1.78	3.5m 159lx
2.03	4.0m 122lx
2.54	5.0m 78lx



SD030-2


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 688lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 10PCS

DC LED
ADJUSTABLE SPOT LIGHT
SERIES




SD00412


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 909lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.28	1.5m 3859lx
0.42	2.25m 1715lx
0.65	3.5m 709lx
0.74	4.0m 543lx
0.93	5.0m 347lx




Diameter(m)	Height Emax
0.52	1.5m 1732lx
0.79	2.25m 770lx
1.22	3.5m 318lx
1.40	4.0m 244lx
1.75	5.0m 156lx



Diameter(m)	Height Emax
0.91	1.5m 903lx
1.37	2.25m 401lx
2.13	3.5m 166lx
2.43	4.0m 127lx
3.04	5.0m 81lx




Diameter(m)	Height Emax
1.56	1.5m 525lx
2.34	2.25m 233lx
3.64	3.5m 96lx
4.16	4.0m 74lx
5.20	5.0m 47lx




SD00420


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1434lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 30PCS




Diameter(m)	Height Emax
0.25	1.5m 5120lx
0.38	2.25m 2275lx
0.59	3.5m 940lx
0.67	4.0m 720lx
0.84	5.0m 461lx




Diameter(m)	Height Emax
0.48	1.5m 2519lx
0.72	2.25m 1120lx
1.11	3.5m 463lx
1.27	4.0m 354lx
1.59	5.0m 227lx



Diameter(m)	Height Emax
0.81	1.5m 1449lx
1.21	2.25m 644lx
1.88	3.5m 266lx
2.15	4.0m 204lx
2.69	5.0m 130lx




Diameter(m)	Height Emax
1.40	1.5m 776lx
2.10	2.25m 345lx
3.26	3.5m 143lx
3.72	4.0m 109lx
4.66	5.0m 70lx




SD00407


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 505lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 50PCS




Diameter(m)	Height Emax
0.39	1.5m 2137lx
0.59	2.25m 950lx
0.92	3.5m 392lx
1.05	4.0m 300lx
1.32	5.0m 192lx




Diameter(m)	Height Emax
0.58	1.5m 959lx
0.86	2.25m 426lx
1.34	3.5m 176lx
1.54	4.0m 135lx
1.92	5.0m 86lx



Diameter(m)	Height Emax
0.88	1.5m 512lx
1.33	2.25m 228lx
2.06	3.5m 94lx
2.36	4.0m 72lx
2.94	5.0m 46lx




Diameter(m)	Height Emax
1.56	1.5m 276lx
2.34	2.25m 123lx
3.64	3.5m 51lx
4.16	4.0m 39lx
5.21	5.0m 25lx




SD00430


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1947lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 24PCS



Diameter(m)	Height Emax
0.47	1.5m 3136lx
0.70	2.25m 1394lx
1.09	3.5m 576lx
1.25	4.0m 441lx
1.56	5.0m 282lx



Diameter(m)	Height Emax
0.82	1.5m 1615lx
1.23	2.25m 718lx
1.92	3.5m 297lx
2.19	4.0m 227lx
2.74	5.0m 145lx



Diameter(m)	Height Emax
1.73	1.5m 935lx
2.60	2.25m 415lx
4.04	3.5m 172lx
4.61	4.0m 131lx
5.77	5.0m 84lx

DC 48V
MANGNETIC SERIES

MAGNETIC SERIES

MGD1000

L1000+6xW36xH76mm 4-Wire

MGD1200

L1200+6xW36xH76mm 4-Wire

MGD1500

L1500+6xW36xH76mm 4-Wire



DY-NZ



MGD-GDJ



DY-WZ



CTL-PM



DZ-01



DY-JT




DY-SX



AZ-01




MZ-01





MTJ200

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 998lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 10PCS





MZD200

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 998lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 10PCS



MXT400


CCT: 3000K 4000K 5000K
CRI: Ra80
Luminous Flux: 1200lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 10PCS





MPG400

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 998lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 10PCS

DC LED DC48V
MANGNETIC TRACK-SPOT
LIGHT SERIES



DC LED DC48V
MANGNETIC PENDANT LIGHT
SERIES




MSD210

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 10PCS

MSD210

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 664lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 10PCS




MSD211

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1075lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 15W
Qty/Ctn: 10PCS


MSD211

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1587lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 10PCS



MDG450


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 415lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 10PCS



MDQ800

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 500lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 10PCS

DC LED
UFO DOWNLIGHT
SERIES



IP20

II


1-10V

Tuya

DALI


K450M

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1027lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 1PCS




K600M

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1645lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 1PCS




K900M

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 2382lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 1PCS




K450D

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1027lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 1PCS




K600D

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1645lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 1PCS




K900D

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 2382lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 1PCS




K450Q

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1027lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 1PCS




K600Q

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 1645lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 1PCS




K900Q

CCT: 2700K 3000K 4000K
CRI: Ra80 Ra90
Luminous Flux: 2382lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 40W
Qty/Ctn: 1PCS



LINEAR SERIES



IP20




1-10V

Triac



DALI

DC LED
LINEAR LIGHT
SERIES





XT00310

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 358lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 10W
Qty/Ctn: 40PCS




XT00320

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 684lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 16W
Qty/Ctn: 20PCS



XT00330

CCT: 2700K 3000K 4000K
CRI: Ra90
Luminous Flux: 1029lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 28W
Qty/Ctn: 15PCS



DC LED
LINEAR LIGHT
SERIES


IP20



1-10V

Triac

DALI



XT00102




CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 142lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 2W

Qty/Ctn: 100PCS



XT00202



CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 142lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 2W

Qty/Ctn: 100PCS



XT00104




CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 295lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 4W

Qty/Ctn: 60PCS



XT00204



CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 295lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 4W

Qty/Ctn: 60PCS



XT00110




CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 897lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 10W

Qty/Ctn: 40PCS



XT00210



CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 897lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 10W

Qty/Ctn: 40PCS



XT00120




CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 1027lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 16W

Qty/Ctn: 20PCS



XT00220


CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 1027lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 16W

Qty/Ctn: 20PCS



XT00130




CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 1695lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 28W

Qty/Ctn: 15PCS



XT00230


CCT: 2700K 3000K 4000K

CRI: Ra90

Luminous Flux: 1695lm / 3000K / Ra90

Input: AC220-240V 50/60Hz 28W


Qty/Ctn: 15PCS



GRILLE LIGHT SERIES




IP20 II 1-10V Triac DALI White Black




GS00320-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1601lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 20W
Qty/Ctn: 24PCS



Diameter(m)	Height Emax
0.32	1.5m 6577lx
0.48	2.25m 2923lx
0.74	3.5m 1208lx
0.85	4.0m 925lx
1.06	5.0m 592lx




Diameter(m)	Height Emax
0.54	1.5m 3005lx
0.80	2.25m 1336lx
1.25	3.5m 552lx
1.43	4.0m 423lx
1.78	5.0m 270lx




GS00320-2

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 3202lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*20W
Qty/Ctn: 18PCS




GS00320-3

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 4803lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*20W
Qty/Ctn: 12PCS




GS00312-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 909lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 50PCS



Diameter(m)	Height Emax
0.53	1.5m 1497lx
0.80	2.25m 665lx
1.24	3.5m 275lx
1.42	4.0m 211lx
1.77	5.0m 135lx




Diameter(m)	Height Emax
1.02	1.5m 510lx
1.54	2.25m 227lx
2.39	3.5m 94lx
2.73	4.0m 72lx
3.41	5.0m 46lx




GS00312-2

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1818lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 32PCS




GS00312-3

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2727lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*12W
Qty/Ctn: 20PCS




GS00330-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2291lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 30W
Qty/Ctn: 18PCS



Diameter(m)	Height Emax
0.29	1.5m 8030lx
0.43	2.25m 3569lx
0.67	3.5m 1475lx
0.76	4.0m 1129lx
1.96	5.0m 723lx




Diameter(m)	Height Emax
0.55	1.5m 3220lx
0.82	2.25m 1431lx
1.28	3.5m 291lx
1.46	4.0m 453lx
1.83	5.0m 290lx




GS00312-2

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 4582lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*30W
Qty/Ctn: 12PCS




Diameter(m)	Height Emax
0.75	1.5m 2979lx
1.13	2.25m 1324lx
1.75	3.5m 547lx
2.01	4.0m 419lx
2.51	5.0m 268lx



GS00312-3


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 6873lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*30W
Qty/Ctn: 9PCS

DC LED
SURFACE GRILLE LIGHT
SERIES




GS00907-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 448lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 7W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.44	1.5m 1138lx
0.66	2.25m 506lx
1.02	3.5m 209lx
1.17	4.0m 160lx
1.46	5.0m 102lx




Diameter(m)	Height Emax
0.68	1.5m 638lx
1.02	2.25m 284lx
1.58	3.5m 117lx
1.81	4.0m 90lx
2.26	5.0m 57lx




GS00907-2

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 896lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*7W
Qty/Ctn: 18PCS




Diameter(m)	Height Emax
1.01	1.5m 358lx
1.52	2.25m 159lx
2.37	3.5m 66lx
2.70	4.0m 50lx
3.38	5.0m 32lx




GS00907-3

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1344lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*7W
Qty/Ctn: 12PCS




GS00912-1


CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 830lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 12W
Qty/Ctn: 30PCS



Diameter(m)	Height Emax
0.65	1.5m 1205lx
0.98	2.25m 536lx
1.53	3.5m 221lx
1.75	4.0m 169lx
2.18	5.0m 108lx




Diameter(m)	Height Emax
1.06	1.5m 634lx
1.58	2.25m 282lx
2.47	3.5m 116lx
2.82	4.0m 89lx
3.52	5.0m 57lx



GS00912-2

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 1660lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 2*12W
Qty/Ctn: 18PCS



GS00912-3

CCT: 2700K 3000K 4000K 5000K
CRI: Ra80 Ra90
Luminous Flux: 2490lm / 3000K / Ra90
Input: AC220-240V 50/60Hz 3*12W
Qty/Ctn: 12PCS



IP20 1-10V Triac DALI White Black

THANKS FOR YOUR BUSINESS